

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L28	2697	(dynamic\$4 adj (instantiat\$3 or creat\$3 or generat\$3)) with (class or object or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:50
L29	78	L28 and ((code or class or object) with (exist or live or life) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:37
L30	24	L29 and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:41
L31	200	28 and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:57
L32	176	31 not 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:50
L33	18493	(dynamic\$4 or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time) or hot) with (creat\$3 or generat\$3) with (class or object or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:35
L34	123	33 and (RMI and EJB and JDBC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 16:05
L35	15082	(dynamic\$4 or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time)) with (creat\$3 or generat\$3) with (class or object or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:21

## EAST Search History

L36	123	34 and (RMI and EJB and JDBC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 16:26
L37	88	34 and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 16:13
L44	36	((dynamic\$4 or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time)) with (creat\$3 or generat\$3) with (class or object or code)) and ((RMI or invocation) adj (skeleton or stub))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:23
L45	169	((dynamic\$4 or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time)) with (creat\$3 or generat\$3) with (class or object or code)) and ((RMI or invocation) with (skeleton or stub))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:28
L46	86	45 and (bean or EJB or JDBC or wrapper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:38
L47	1193	((dynamic\$4 or runtime or run-time or on-the-fly or (on adj the adj fly) or (run adj time) or hot) with (creat\$3 or generat\$3) with (class or object or code)) and (state with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:37
L48	65	46 and prox\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:40
L49	11	46 and (prox\$3 with (invok\$3 or call\$3 or invocat\$3 or employ\$3) with (EJB or bean))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:41

## EAST Search History

S1	1739	717/106-112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 09:22
S2	1199	S1 and (dynamic\$4 or runtime or run-time or (run adj time) or on-fly or (on adj fly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 09:22
S3	959	S2 and ((creat\$3 or generat\$3 or instantiat\$3 or obtain\$3 or produc\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 09:22
S4	523	S3 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 09:22
S5	511	S4 and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 09:22
S6	76	S5 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with (bytecode or (byte adj code) or byte-code) or "intermediate representation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:13
S7	4	S6 and (determin\$3 with number with method\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:04
S8	332	"10" and "proxy class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05

## EAST Search History

S9	1739	717/106-112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S10	1199	S1 and (dynamic\$4 or runtime or run-time or (run adj time) or on-fly or (on adj fly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S11	959	S2 and ((creat\$3 or generat\$3 or instantiat\$3 or obtain\$3 or produc\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S12	523	S3 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S13	511	S4 and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S14	76	S5 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with (bytecode or (byte adj code) or byte-code) or "intermediate representation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S15	6	S6 and "proxy class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S16	5	S6 and ((implement\$3 or run\$4 or execut\$3) with "proxy class")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05

## EAST Search History

S17	51	S6 and ((determin\$3 or check\$3 or verif\$4) with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:05
S18	50	S6 and ((determin\$3 or check\$3) with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:08
S19	22	S6 and (stand-alone or (stand adj alone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/13 10:15
S20	2	"6578191".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:21
S21	7	"6578191"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:29
S22	3	S21 and loader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:31
S23	2	S22 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:31
S24	1888	717/106-112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50

## EAST Search History

S25	1310	S24 and (dynamic\$4 or runtime or run-time or (run adj time) or on-fly or (on adj fly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50
S26	1044	S25 and ((creat\$3 or generat\$3 or instantiat\$3 or obtain\$3 or produc\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50
S27	563	S26 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50
S28	548	S27 and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50
S29	82	S28 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with (bytecode or (byte adj code) or byte-code) or "intermediate representation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:50
S30	563	S26 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S31	82	S28 and ((creat\$3 or generat\$3 or instantiat\$3 or produc\$3) with (bytecode or (byte adj code) or byte-code) or "intermediate representation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S32	1044	S25 and ((creat\$3 or generat\$3 or instantiat\$3 or obtain\$3 or produc\$3) with code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51

## EAST Search History

S33	4	S29 and (determin\$3 with number with method\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S34	370	"10" and "proxy class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S35	1888	717/106-112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S36	1310	S24 and (dynamic\$4 or runtime or run-time or (run adj time) or on-fly or (on adj fly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S37	548	S27 and object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S38	6	S29 and "proxy class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S39	5	S29 and ((implement\$3 or run\$4 or execut\$3) with "proxy class")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 16:48
S40	54	S29 and ((determin\$3 or check\$3 or verif\$4) with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51

## EAST Search History

S41	53	S29 and ((determin\$3 or check\$3) with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 15:51
S42	23	S29 and (stand-alone or (stand adj alone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 16:44
S43	0	S21 and ((live or life or exist\$3) with (system or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 16:46
S44	2697	(dynamic\$4 adj (instantiat\$3 or creat\$3 or generat\$3)) with (class or object or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 10:29
S45	308	S44 and ((exist or live or life) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 16:48
S46	0	S44 and ((generated adj (code or class or object)) with (exist or live or life) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 16:50
S47	78	S44 and ((code or class or object) with (exist or live or life) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/20 17:10